




PCD Panel Saw Blades

V-tech, J-Type & BC-Type

Get the competitive edge today and use Kanefusa PCD saw blades

Accumulated cost per 1 use [USD]



Cost per 1 use T.C.T. Saw Blade = 30 USD
 Cost per 1 use PCD Saw Blade = 14 USD
 Cost per 1 use includes cost for grinding, purchase and estimated cost for repair.



*Specifications and appearance are subject to change without notice. Photographs and illustrations may vary from actual products.

Features for More User Value

Since the total lifetime of a PCD saw blades is over 400 times compared to a T.C.T. saw blade, the plate quality is most important.

Kanefusa uses only the very best steel for its saw blades. After heat treatment, the saw plate is very flat. Kanefusa's proprietary flattening and surface grinding processes ensure plates that are distortion free and have uniform thickness. A good plate with high stiffness is essential for straight running and a very long use life.

Kanefusa PCD saw plates have polymer injected vibration damping elements incorporated into the plate.

Vibrations are responsible for

- high tone noise which causes hardness of hearing which is identified as one of the most common occupational diseases in woodworking and irreparable.
- bad performance, due to structural damages to the PCD grain.
- bad cut quality because of edge chipping or a waving cut.

Special selected high quality polycrystalline diamond from well known suppliers ensures longest use life.


On state of the art machinery, every tooth is perfectly sharpened to highest precision.

DIA V-tech

The V-tech tooth geometry is an original development of Kanefusa in response to the growing demand of PCD saw blades that provide finish cut quality.

The V-shaped rake and clearance face enables similar aggressive cuts like a T.C.T. saw blade.

The symmetric tooth geometry also reduces saw blade vibrations, which leads to a straight cut and less operational noise.



Main Saw Blades

Code no.	Size					Type	Machine
	(D)	(B)	(b)	(d)	(z)		
1	303	x 3.2	x 2.2	x 30	x 50	HC/HF/J/BC	Striebig
2	303	x 3.2	x 2.2	x 30	x 60	HC/HF/J/BC	Striebig
3	303	x 3.2	x 2.2	x 30	x 72	HC/HF/J/BC	Striebig
4	380	x 4.4	x 3.2	x 60	x 60	HC/HF/J/BC	Holzma
5	380	x 4.4	x 3.2	x 60	x 72	HC/HF/J/BC	Holzma
6	400	x 4.4	x 3.2	x 75	x 60	J/BC	Giben
7	400	x 4.4	x 3.2	x 75	x 72	J/BC	Giben
8	400	x 4.8	x 3.5	x 30	x 60	J/BC	Schelling
9	400	x 4.8	x 3.5	x 30	x 72	J/BC	Schelling
10	420	x 4.4	x 3.2	x 60	x 60	J/BC	Holzma
11	420	x 4.4	x 3.2	x 60	x 60	J/BC	Holzma
12	430	x 4.4	x 3.2	x 75	x 60	J/BC	Giben
13	430	x 4.4	x 3.2	x 75	x 72	J/BC	Giben
14	430	x 4.8	x 3.5	x 60	x 60	J/BC	Anthon
15	430	x 4.8	x 3.5	x 60	x 72	J/BC	Anthon
16	430	x 4.8	x 3.5	x 30	x 60	J/BC	Schelling
17	430	x 4.8	x 3.5	x 30	x 72	J/BC	Schelling
18	450	x 4.8	x 3.5	x 60	x 60	J/BC	Holzma
19	450	x 4.8	x 3.5	x 60	x 72	J/BC	Holzma

Scoring Saw Blades

1	100	x 3.2/4.2	x 2.2	x 22	x 10	HK	Striebig
2	120	x 3.2/4.2	x 2.2	x 22	x 10	HK	Altendorf
3	125	x 4.4/5.4	x 3.2	x 20	x 10	HK	Panhans
4	125	x 4.8/5.8	x 3.5	x 45	x 10	HK	Giben
5	160	x 4.4/5.4	x 3.2	x 45	x 20	HK	Giben
6	180	x 4.8/5.8	x 3.5	x 20	x 24	HK	Anthon
7	180	x 4.4/5.4	x 3.2	x 30	x 24	HK	Panhans
8	200	x 4.8/5.8	x 3.5	x 45	x 24	HK	Holzma
9	215	x 4.4/5.8	x 3.2	x 50	x 24	HK	Giben

Other sizes are available upon request.

We also manufacture saw blades used in manufacturing of laminate flooring. For further information please contact Kanefusa or a representative.



<http://www.kanefusa-tools.ru>

KANEFUSA CORPORATION

Head Office / Factory

1-1 Nakaoguchi, Ohguchi-cho, Niwa-Gun
Aichi-ken, Japan, Postal Code 480-0192
Tel : +81 587 95 7221
Fax : +81 587 95 7226
E-mail: sales-ex@kanefusa.co.jp

P.T. KANEFUSA INDONESIA

EJIP Industrial Park, Plot 8D, Cikarang Selatan,
17550, West Java, Indonesia
Tel : +62 21 897 0360
Fax: +62 21 897 0286
+62 21 897 0287
E-mail : sales@kanefusa.co.id

KANEFUSA EUROPE B.V.

Europe Office

De Witbogt 12, 5652 AG, Eindhoven, The Netherlands
Tel : +31 40 2900901
Fax : +31 40 2900908
E-mail : rocky.hayashi@kanefusa.nl

German Office

Radlerstrasse 78 - D-87600 Kaufbeuren, Germany
Tel : +49 8341 95 59 659
Fax: +49 8341 95 59 661
E-mail : office@kanefusa.de

KANEFUSA USA, INC.

2762 Circleport Drive, Erlanger, KY 41018, USA
Tel : +1 859 283 1450
Fax: +1 859 283 5256
E-mail : kanefusa@hotmail.com

KANEFUSA CHINA CORPORATION

KUNSHAN KANEFUSA CORPORATION

NO.50 Zhuzhu Road, Lujia Town Kunshan City, Jiangsu, China
Tel : +86 512 57875072
Fax: +86 512 57875073
E-mail : yy@kfcn.szbnet.com

MALAYSIA OFFICE

Level 36, Menara Citibank 165, Jalan Ampang
50450 Kuala Lumpur, Malaysia
Tel : +60 3 21697720, +60 3 21697721
Fax: +60 3 21697722
E-mail : kanefusamal@myjaring.net

РОССИЙСКОЕ ПРЕДСТАВИТЕЛЬСТВО

ООО "КАНЕФУСА ИНСТРУМЕНТЫ"

129344 Россия, г. Москва, ул. Енисейская,
д.1, корп. 8, оф. 110
Тел: +7 495 632 02 82
Факс: +7 495 632 02 82 (доб. 116)
E-mail: info@kanefusa-tools.ru